



EC Blower Single Inlet Ø120mm




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP44	B	-25°C~+60°C	1.5KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N120B2EM	BE72EC	BALL	230	50/60	0.4	55	2400	317	471	58

EC Blower Single Inlet Ø140mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP44	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 3.2KG	Wiring Mode E2
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------




Single Inlet
Blowers

Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M ³ /H	Pa	dB(A)
PS3N140B2EM	BE92EC	BALL	230	50/60	1.2	170	2600	567.7	696	70

EC Blower Single Inlet Ø160mm




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP44	B	-25°C~+60°C	3.2KG	E2





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N160B2EM	BE92EC	BALL	230	50/60	1.2	170	1950	688	810	72

EC Blower Single Inlet Ø180mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP44	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 4.5KG	Wiring Mode E2
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Single Inlet
Blowers

Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N180B2EM	BE92EC	BALL	230	50/60	1.2	170	1500	820	900	70

EC Blower Single Inlet Ø200mm





Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP44	B	-25°C ~ +60°C	4.8KG	E2





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N200B2EM	BE92EC	BALL	230	50/60	1.5	220	1600	792	708	64

EC Blower Single Inlet Ø225mm





Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP44	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 6.8KG	Wiring Mode E4
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Single Inlet
Blowers

Model Part No.	Motor Type	Bearing System B/S	Rated Voltage VAC	Frequency Hz	Rated Current A	Rated Power W	Rated Speed RPM	Air Flow M³/H	Air Pressure Pa	Sound Level dB(A)
PS3N225B2EM	BE102EC	BALL	230	50/60	1.1	230	1090	1360	620	55

EC Blower Single Inlet Ø250mm





Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP44	F	-25°C~+60°C	8.2KG	E4





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N250B2EM	BE102EC	BALL	230	50/60	1.1	230	840	1710	580	50

EC Blower Single Inlet Ø280mm



Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP44	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 10.2KG	Wiring Mode E6
---	------------------------------	-------------------------	-----------------------	--	------------------	-------------------



Single Inlet
Blowers

Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PS3N280B4EM	BE138EC	BALL	380	50/60	1.6	950	1150	3000	650	79